


```

\renewcommand{\mcqsol}[1]{\marginpar{\footnotesize\scshape%
{}\ensuremath{[#1]}}}%
}}
\DeclareOption{comments}

}}

```

```

\unitlength 1.00mm
\linethickness{0.4pt}
\begin{picture}(190.00,205.00)(5,5)
\put(5.00,19.00){\makebox(0,0)[l]{\small\begin{tabular}{l}
Instructions to candidates\\
(Examiners may wish to use\\
this space to indicate, inter alia,\\
the contribution made by this\\
examination or test towards\\
the year mark, if appropriate)\end{tabular}}}}
\put(5.00,50.00){\makebox(0,0)[l]{\small\begin{tabular}{l}
Time allowance\end{tabular}}}}
\put(5.00,70.00){\makebox(0,0)[l]{\small\begin{tabular}{l}

```

\end{picture}
\bigskip

```
\newcommand{\eelastpg}{\pageref{@last-page}}
```

Note that this does not preclude the possibility of using other lists yourself, it just changes the default behaviour.

```
\makeatletter
\renewcommand{\theenumi}{(\alph{enumi})}
\renewcommand{\theenumi}{\roman{enumi}}
\renewcommand{\labelenumi}{\theenumi}
\renewcommand{\labelenumi}{\theenumi.}
\renewcommand{\p@enumi}{\theqno}
\renewcommand{\p@enumi}{\theqno\theenumi --}
```

```

\begin{center}\vspace*{#1}Figure \thefigure\end{center}}
\newcommand{\figc}[2]{\addtocounter{figure}{1}
\begin{center}\vspace*{#1}Figure \thefigure : {#2}\end{center}}
\newcommand{\figf}[1]{\addtocounter{figure}{1}\begin{figure}[htb]
\vspace{#1}\begin{center}Figure \thefigure\end{center} \end{figure}}
\newcommand{\figcf}[2]{\addtocounter{figure}{1}\begin{figure}[htb]
\vspace{#1}\begin{center}Figure \thefigure : {#2}\end{center} \end{figure}}

```

Revision History

This is surrounded by documentation tags, so it should not be inserted into the style file.